
Ch. 2 Warm-Up

- 1. What is the difference between an atom, element and compound?
- 2. What are the 3 main components of an atom? What are their charges?
- 3. What type of bond is found in:
 - H_2O ?
 - KCl?
 - $C_6H_{12}O_6$?
 - N_2 ?
 - Ba $(OH)_2$?

Ch. 2a Warm-Up

- 1. List 1 trace minerals found in living things and its purpose in the body.
- 2. What is the difference between a polar and nonpolar substance? Name an example of each.
- 3. What types of molecules can form hydrogen bonds? Explain.
- 4. Draw a possible chemical structure diagram of $C_6H_{12}O_6$.




You Must Know

- The importance of hydrogen bonding to the properties of water.
- Four unique properties of water and how each contributes to life on Earth.
- How to interpret the pH scale.
- How changes in pH can alter biological systems.
- The importance of buffers in biological systems.

Water is a Polar Molecule

- Unequal sharing of e- between O and H
- Hydrogen bond: slightly negative O attracted to slightly positive H of nearby molecule
- H₂O can form up to 4 bonds



Four Emergent Properties of Water

1. Cohesive Behavior

- <u>Cohesion</u> = H-bonding between <u>like</u> molecules
 - Surface Tension = measure of how difficult it is to break or stretch surface of liquid






Adhesion = bonding between <u>unlike</u> molecules

Adhesion of H₂O to vessel walls counters \ \pull of gravity






Cohesion vs. Adhesion

The attraction between two like molecules is cohesion.


The attraction between two unlike molecules is adhesion.

<u>Transpiration</u> = movement of H_2O up plants

H₂O clings to each other by <u>cohesion</u>; cling to xylem tubes by <u>adhesion</u>



Capillary Action



BIOFLIX: WATER TRANSPORT IN PLANTS

2. Moderation of Temperature

Thermal energy (heat) = Total amount of KE in system

<u>Temperature</u> = measure intensity of <u>heat</u> due to <u>average</u> KE of molecules

Which has higher temp? More heat?



Water = <u>High specific heat</u>

- Change temp less when absorbs/loses heat
- Large bodies of water absorb and store more heat
 warmer coastal areas
- Create stable marine/land environment
- Humans $\sim 65\%$ H₂O \rightarrow stable temp, resist temp. change



Evaporative Cooling

- Water has high heat of vaporization
- Molecules with greatest KE leave as gas
- Stable temp in lakes & ponds
- Cool plants
- Human sweat



3. Expansion Upon Freezing

Insulation by ice – less dense, floating ice insulates liquid H₂O below

- Life exists under frozen surface (ponds, lakes, oceans)
- Ice = solid habitat (polar bears)



4. Water = Solvent of Life

- <u>Solution</u> = liquid, homogeneous mixture of 2+ substances
- <u>Solvent</u> = dissolving agent (liquid)
- Solute = dissolved substance
- Water = versatile solvent





Figure 2.22 A water-soluble protein




4. Solvent of life

"like dissolves like"

Hydrophilic	Hydrophobic
Affinity for H ₂ O	Repel H ₂ O
Polar, ions	Non-polar
Cellulose, sugar, salt	Oils, lipids
Blood	Cell membrane

Water Chemistry

Acids and Bases



$$H_2O \stackrel{\longrightarrow}{\longleftarrow} H^+ + OH^-$$

(gains proton)
$$H^+ + H_2O \rightarrow H_3O^+$$
 (hydronium ion)


(loses proton)
$$H_2O - H^+ \rightarrow OH^-$$
 (hydroxide ion)

5. Acids and Bases

- Acid = increases H^+ concentration (HCl)
- Base = reduces H^+ concentration (NaOH)
- Most biological fluids are pH 6-8




H⁺ and OH⁻ Ions



Basic solution

OH OH OH OH H[†] H[†] H[†]


Neutral solution



Acidic solution

© 2016 Pearson Education, Inc.

Figure 2.23 The pH scale and pH values of some aqueous solutions



Calculating pH

$$[H^+][OH^-] = 10^{-14}$$

If $[H^+] = 10^{-6} M$, then $[OH^-] = 10^{-8}$

$$pH = -log [H^+]$$


- If $[H^+] = 10^{-2}$
 - $-\log 10^{-2} = -(-2) = 2$
 - Therefore, pH = 2
- 2. If $[OH-] = 10^{-10}$
 - $[H^+] = 10^{-4}$
 - $-\log 10^{-4} = -(-4) = 4$
 - Therefore, pH = 4

Buffers

- Buffers: minimize changes in concentration of H⁺ and OH⁻ in a solution (weak acids and bases)
- Buffers keep blood at pH \sim 7.4
- If blood drops to 7 or up to $7.8 \rightarrow$ death
- Carbonic Acid Bicarbonate System: important buffers in blood plasma

 H_2CO_3 (carbonic acid) \rightarrow HCO_3^- (bicarbonate) + H^+

Ocean Acidification: Threat to Coral Reef Ecosystems



CO₂ + Seawater → Carbonic acid → Lowers ocean pH

H ₂ O Property	Explanation	Benefits to Life
Cohesion	polarH-bondlike-like	†gravity plants, trees

•H-bond

•H-bond

•H-bond

•H-bond

•KE

•liquid > gas

•Polarity > ionic

•unlike-unlike

•diff. in stretch

•break surface

• Absorbs & retains E

Adhesion

Surface Tension

Specific Heat

Evaporation

Universal Substance

plants→ xylem

ocean→mod temp

→ protect marine life

blood > veins

bugs → water

Cooling

solvent

Homeostasis

Good dissolver

