


Chapter 1

Chemistry: A Science for the 21st Century

Health and Medicine

- Sanitation systems
- Surgery with anesthesia
- Vaccines and antibiotics
- Gene therapy





Energy and the Environment

- Fossil fuels
- Solar energy
- Nuclear energy

Chemistry: A Science for the 21st Century


- Materials and Technology
 - Polymers, ceramics, liquid crystals
 - Room-temperature superconductors?
 - Molecular computing?






- Food and Agriculture
 - Genetically modified crops
 - "Natural" pesticides
 - Specialized fertilizers


The Study of Chemistry



The *scientific method* is a systematic approach to research



A *hypothesis* is a tentative explanation for a set of observations




A *law* is a concise statement of a relationship between phenomena that is always the same under the same conditions.

Force = mass x acceleration

A *theory* is a unifying principle that explains a body of facts and/or those laws that are based on them.


Atomic Theory



Chemistry In Action:

Primordial Helium and the Big Bang Theory

In 1940 George Gamow *hypothesized* that the universe began with a gigantic explosion or big bang.



Experimental Support

- expanding universe
- cosmic background radiation
- primordial helium

Chemistry is the study of matter and the changes it undergoes

Matter is anything that occupies space and has mass.

A *substance* is a form of matter that has a definite composition and distinct properties.



liquid nitrogen



gold ingots




silicon crystals

A *mixture* is a combination of two or more substances in which the substances retain their distinct identities.


1. *Homogenous mixture* – composition of the mixture is the same throughout.

soft drink, milk, solder

2. *Heterogeneous mixture* – composition is not uniform throughout.



Physical means can be used to separate a mixture into its pure components.



distillation



magnet

An *element* is a substance that cannot be separated into simpler substances by *chemical means*.

- 114 elements have been identified
 - 82 elements occur naturally on Earth gold, aluminum, lead, oxygen, carbon, sulfur




TABLE 1.1 Some Common Elements and Their Symbols

Name	Symbol	Name	Symbol	Name	Symbol
Aluminum	Al	Fluorine	F	Oxygen	О
Arsenic	As	Gold	Au	Phosphorus	P
Barium	Ba	Hydrogen	Н	Platinum	Pt
Bismuth	Bi	Iodine	I	Potassium	K
Bromine	Br	Iron	Fe	Silicon	Si
Calcium	Ca	Lead	Pb	Silver	Ag
Carbon	C	Magnesium	Mg	Sodium	Na
Chlorine	C1	Manganese	Mn	Sulfur	S
Chromium	Cr	Mercury	Hg	Tin	Sn
Cobalt	Co	Nickel	Ni	Tungsten	W
Copper	Cu	Nitrogen	N	Zinc	Zn

A *compound* is a substance composed of atoms of two or more elements chemically united in fixed proportions.

Compounds can only be separated into their pure components (elements) by *chemical* means.



lithium fluoride




quartz




dry ice – carbon dioxide


Classifications of Matter




A Comparison: The Three States of Matter







The Three States of Matter: Effect of a Hot Poker on a Block of Ice



Types of Changes


A *physical change* does not alter the composition or identity of a substance.

ice melting

sugar dissolving in water

A *chemical change* alters the composition or identity of the substance(s) involved.

hydrogen burns in air to form water





Extensive and Intensive Properties


An *extensive property* of a material depends upon how much matter is is being considered.

- mass
- length
- volume



An *intensive property* of a material does not depend upon how much matter is is being considered.

- density
- temperature
- color



Matter - anything that occupies space and has *mass*.

mass – measure of the quantity of matter

SI unit of mass is the *kilogram* (kg)


 $1 \text{ kg} = 1000 \text{ g} = 1 \text{ x} 10^3 \text{ g}$

weight – force that gravity exerts on an object

weight = $c \times mass$

on earth, *c* = 1.0

on moon, $c \sim 0.1$



A 1 kg bar will weigh

1 kg on earth

0.1 kg on moon

International System of Units (SI)

TABLE 1.2 SI Base Units


Base Quantity	Name of Unit	Symbol
Length	meter	m
Mass	kilogram	kg
Time	second	S
Electrical current	ampere	A
Temperature	kelvin	K
Amount of substance	mole	mol
Luminous intensity	candela	cd

TABLE 1.3 Prefixes Used with SI Units

Prefix	Symbol	Meaning	Example
tera-	T	1,000,000,000,000, or 10 ¹²	1 terameter (Tm) = 1×10^{12} m
giga-	G	$1,000,000,000, \text{ or } 10^9$	1 gigameter (Gm) = 1×10^9 m
mega-	M	$1,000,000, \text{ or } 10^6$	1 megameter (Mm) = 1×10^6 m
kilo-	k	$1,000, \text{ or } 10^3$	1 kilometer (km) = 1×10^3 m
deci-	d	$1/10$, or 10^{-1}	1 decimeter (dm) = 0.1 m
centi-	c	$1/100$, or 10^{-2}	1 centimeter (cm) = 0.01 m
milli-	m	$1/1,000$, or 10^{-3}	1 millimeter (mm) = 0.001 m
micro-	μ	$1/1,000,000, \text{ or } 10^{-6}$	1 micrometer (μ m) = 1 × 10 ⁻⁶ m
nano-	n	$1/1,000,000,000$, or 10^{-9}	1 nanometer (nm) = 1×10^{-9} m
pico-	p	$1/1,000,000,000,000$, or 10^{-12}	1 picometer (pm) = 1×10^{-12} m

Volume – SI derived unit for volume is cubic meter (m³)

Volume: 1000 cm³; 1000 mL; 1 dm³; 1 L



Volume: 1 cm³; 1 mL

$$1 \text{ cm}^3 = (1 \text{ x } 10^{-2} \text{ m})^3 = 1 \text{ x } 10^{-6} \text{ m}^3$$

$$1 \text{ dm}^3 = (1 \text{ x } 10^{-1} \text{ m})^3 = 1 \text{ x } 10^{-3} \text{ m}^3$$

$$1 L = 1000 mL = 1000 cm^3 = 1 dm^3$$

 $1 \text{ mL} = 1 \text{ cm}^3$



Density – SI derived unit for density is kg/m^3 1 g/cm^3 = 1 g/mL = 1000 kg/m^3

density =
$$\frac{\text{mass}}{\text{volume}}$$
 $d = \frac{m}{V}$

A piece of platinum metal with a density of 21.5 g/cm³ has a volume of 4.49 cm³. What is its mass?

$$d = \frac{m}{V}$$

 $m = d \times V = 21.5 \text{ g/cm}^3 \times 4.49 \text{ cm}^3 = 96.5 \text{ g}$

TABLE 1.4


Densities of Some Substances at 25°C

Substance	Density (g/cm³)
Air*	0.001
Ethanol	0.79
Water	1.00
Mercury	13.6
Table salt	2.2
Iron	7.9
Gold	19.3
Osmium [†]	22.6

^{*}Measured at 1 atmosphere.

[†]Osmium (Os) is the densest element known.

A Comparison of Temperature Scales



$$K = {}^{0}C + 273.15$$

 $273 K = 0 {}^{0}C$
 $373 K = 100 {}^{0}C$

$${}^{0}F = \frac{9}{5} \times {}^{0}C + 32$$

$$32 {}^{0}F = 0 {}^{0}C$$

$$212 {}^{0}F = 100 {}^{0}C$$

Convert 172.9 °F to degrees Celsius.

$${}^{0}F = \frac{9}{5} \times {}^{0}C + 32$$

$${}^{0}F - 32 = \frac{9}{5} \times {}^{0}C$$

$$\frac{5}{9} \times ({}^{0}F - 32) = {}^{0}C$$

$${}^{0}C = \frac{5}{9} \times ({}^{0}F - 32)$$

$${}^{0}C = \frac{5}{9} \times (172.9 - 32) = 78.3$$

Chemistry In Action

On 9/23/99, \$125,000,000 Mars Climate Orbiter entered Mar's atmosphere 100 km (62 miles) lower than planned and was destroyed by heat.



 $1 lb \times 1 N$

1 lb = 4.45 N

"This is going to be the cautionary tale that will be embedded into introduction to the metric system in elementary school, high school, and college science courses till the end of time."

Scientific Notation

The number of atoms in 12 g of carbon:

602,200,000,000,000,000,000,000

 6.022×10^{23}

The mass of a single carbon atom in grams:

0.000000000000000000000199

1.99 x 10-23

→ N x 10ⁿ

N is a number between 1 and 10

n is a positive or negative integer

Scientific Notation

568.762

move decimal left

$$568.762 = 5.68762 \times 10^{2}$$

0.00000772

 \rightarrow move decimal right n < 0

$$0.00000772 = 7.72 \times 10^{-6}$$

Addition or Subtraction

- 1. Write each quantity with the same exponent *n*
- 2. Combine N_1 and N_2
- 3. The exponent, *n*, remains the same

$$4.31 \times 10^{4} + 3.9 \times 10^{3} =$$

$$4.31 \times 10^{4} + 0.39 \times 10^{4} =$$

$$4.70 \times 10^{4}$$

Scientific Notation

Multiplication

- Multiply N₁ and N₂
- 2. Add exponents n_1 and n_2

$$(4.0 \times 10^{-5}) \times (7.0 \times 10^{3}) =$$

 $(4.0 \times 7.0) \times (10^{-5+3}) =$
 $28 \times 10^{-2} =$
 2.8×10^{-1}

Division

- 1. Divide N₁ and N₂
- 2. Subtract exponents n_1 and n_2

$$8.5 \times 10^{4} \div 5.0 \times 10^{9} =$$


 $(8.5 \div 5.0) \times 10^{4-9} =$
 1.7×10^{-5}

- Any digit that is not zero is significant
 - 1.234 kg 4 significant figures
- Zeros between nonzero digits are significant

```
606 m 3 significant figures
```

- Zeros to the left of the first nonzero digit are **not** significant
 0.08 L
 1 significant figure
- If a number is greater than 1, then all zeros to the right of the decimal point are significant
 - 2.0 mg 2 significant figures
- If a number is less than 1, then only the zeros that are at the end and in the middle of the number are significant
 - 0.00420 g 3 significant figures

How many significant figures are in each of the following measurements?




Addition or Subtraction

The answer cannot have more digits to the right of the decimal point than any of the original numbers.

Multiplication or Division

The number of significant figures in the result is set by the original number that has the *smallest* number of significant figures



Exact Numbers


Numbers from definitions or numbers of objects are considered to have an infinite number of significant figures

The average of three measured lengths; 6.64, 6.68 and 6.70?

$$\frac{6.64 + 6.68 + 6.70}{3} = 6.67333 = 6.67 = 7$$

Because 3 is an exact number

Accuracy – how close a measurement is to the true valuePrecision – how close a set of measurements are to each other



Dimensional Analysis Method of Solving Problems

- Determine which unit conversion factor(s) are needed
- 2. Carry units through calculation
- 3. If all units cancel except for the **desired unit(s)**, then the problem was solved correctly.

given quantity x conversion factor = desired quantity

given unit x
$$\frac{\text{desired unit}}{\text{given unit}} = \text{desired unit}$$

Dimensional Analysis Method of Solving Problems

How many mL are in 1.63 L?

Conversion Unit 1 L = 1000 mL

1.63
$$L \times \frac{1000 \text{ mL}}{1 L} = 1630 \text{ mL}$$

1.63 $L \times \frac{1}{1000 \text{ mL}} = 0.001630 \frac{L^2}{\text{mL}}$

The speed of sound in air is about 343 m/s. What is this speed in miles per hour?

conversion units

meters to miles

seconds to hours

$$1 \min = 60 s$$

1 mi = 1609 m 1 min = 60 s 1 hour = 60 min

$$343 \frac{m}{8} \times \frac{1 \text{ mi}}{1609 \text{ m}} \times \frac{60 \text{ s}}{1 \text{ min}} \times \frac{60 \text{ min}}{1 \text{ hour}} = 767 \frac{\text{mi}}{\text{hour}}$$